AMENDMENTS TO THE CLAIMS

A detailed listing of all claims that are, or were, in the present application, irrespective of whether the claim(s) remains under examination in the application are presented below. The claims are presented in ascending order and each includes one status identifier. Those claims not cancelled or withdrawn but amended by the current amendment utilize the following notations for amendment: 1. deleted matter is shown by strikethrough for six or more characters and double brackets for five or less characters; and 2. added matter is shown by underlining.

1. (Currently Amended) A method for obtaining a transformed [[plant]] <u>Vitis vinifera vine</u> having a modified phenotype relating to a size or [[the]] <u>an</u> organic acid composition of a storage organ of the [[plant]] <u>vine</u>, comprising the step of:

modifying the expression of a gene encoding an outward potassium channel in one or more cells of the plant wherein the cells are selected from the group consisting of the cells of the storage organ and the cells in the tissues supplying the storage organ

transforming at least one cell of the vine with a gene encoding an outward potassium channel (VvSOR),

selecting the at least one transformed cell, and regenerating a transformed vine from the transformed cell.

- 2. (Cancelled)
- 3. (Cancelled)
- 4. (Previously Presented) The method according to Claim 1, wherein the gene is overexpressed.
- 5. (Cancelled)
- 6. (Currently Amended) A transformed [[plant]] vine of *Vitis vinifera*, obtained by the method according to Claim [[2]] 1.

7. (Currently Amended) A method of selection of a plant having <u>Vitis vinifera</u> vine based on a modified phenotype relating to a size of the storage organs of the said [[plant]] <u>vine</u> and/or <u>an</u> organic acid composition <u>of said storage organs</u>, <u>the method comprising</u>:

wherein measuring the expression of a gene encoding an outward potassium channel of the [[plant]] vine in the cells of the storage organs or in the tissues supplying the storage organs is measured.

8. (Cancelled)

- 9. (Currently Amended) The method according to Claim [[8]] 7, wherein a quantity of mRNA derived from a transcription of the gene is measured, or a quantity of proteins resulting from the expression of the gene is measured.
- 10. (Currently Amended) The method according to Claim 9, wherein the measurement of the quantity of mRNA is carried out during the development of the storage organs, and in that the measurement of the proteins is carried out during or after the development of the storage organs.
- 11. (Currently Amended) A cell of a [[plant]] <u>Vitis vinifera vine</u>, wherein the cell over-expresses a gene (<u>VvSOR</u>) encoding an outward rectifier potassium passage whose polypeptide sequence has at least a 40% similarity with a polypeptide sequence deduced from the nucleotide sequence encoding an outward rectifier channel derived from Vitis Vinifera (VvSOR).

12. (Currently Amended) A [[plant]] <u>Vitis vinifera vine</u>, wherein the [[plant]] <u>vine</u> overexpresses a gene encoding an outward rectifier potassium channel of the said plant <u>vine</u> whose polypeptide sequence has at least a 40% similarity with a polypeptide sequence deduced from the sequence encoding an outward rectifier channel derived from Vitis Vinifera (VvSOR).

13.-15. (Cancelled)

- 16. (Withdrawn) An antibody, wherein the antibody is directed against all or part of a polypeptide derived from the expression of a gene encoding an outward rectifier potassium channel of a plant.
- 17. (Withdrawn) The antibody according to Claim 16, wherein the gene encodes a polypeptide sequence having at least a 40% similarity with a polypeptide sequence deduced from the sequence encoding an outward rectifier potassium channel derived from Vitis Vinifera (VvSOR).
- 18. (Withdrawn) A method for detecting the presence of all or part of a polypeptide resulting from the expression of a gene encoding an outward rectifier potassium channel of a plant in a sample comprising a mixture of polypeptides, wherein it comprises the following stages:

putting the sample in contact with an antibody according to Claim 16, and detecting an antigen/antibody complex formed.

- 19. (Withdrawn) The method according to Claim 18, wherein the gene encodes a polypeptide sequence having at least a 40% similarity with a polypeptide sequence deduced from the sequence encoding an outward rectifier potassium channel derived from Vitis Vinifera).
- 20. (Withdrawn) A kit for detecting all or part of a polypeptide produced from a gene encoding a potassium channel of a plant in a sample containing a mixture of polypeptides, wherein it comprises an antibody according to Claim 16.
- 21. (Withdrawn) The detection kit according to Claim 20, wherein the gene encodes a polypeptide sequence having at least a 40% similarity with a polypeptide sequence deduced from the sequence encoding an outward rectifier potassium channel derived from Vitis Vinifera (VvSOR).